eakin Cohesive[®] seals

Absorbency matters **most**.





MOISTURE ASSOCIATED SKIN DAMAGE (MASD)

The damaging effect of prolonged exposure to excessive moisture is a **common problem**^{1,2,3}

experienced by up to **70%** of ostomates.^{4,5}

A secure seal is **essential** to **prevent leakage** and **maintain healthy peristomal skin**.⁶





WHY DOES ABSORBENCY MATTER MOST?

Using products that **wick moisture away** from at-risk skin⁷ such as an **absorptive ostomy seal** can help **manage MASD** and should **prevent peristomal skin breakdown**.

As it is not possible to control the source of excessive moisture, **the use of an absorptive ostomy seal should prevent MASD**.⁸





eakin Cohesive® seals had the highest absorption capacity.¹⁰

EAKIN COHESIVE® SEALS FOR SKIN PROTECTION

eakin **Cohesive®** seals are the **most absorbent** seals available and **offer** greater skin protection against MASD than any other seal on the market.⁹

Here's what our consumers and stoma nurses think!



good/excellent at

preventing irritation¹⁴

Nurse feedback (n = 194)



agree eakin Cohesive® seals good/ excellent at treating denuded or excoriated skin¹⁴ Nurse feedback (n = 194)

ABSORPTION + ENZYME INHIBITION = GREATEST LEVEL OF PROTECTION

A seal combining high levels of enzyme inhibition and the highest level of absorption offers the **greatest protection against MASD**.

Absorption with combined faecal enzyme (elastase and lipase) inhibition of ostomy seals.



WHAT ELSE MAKES AN EFFECTIVE SEAL?

In addition to being the **most absorbent seal** available and offering a **high level of enzyme inhibition**^{9,11}, eakin **Cohesive**[®] seals are:

easier to stretch and mould than any other seals

stretch...



Up to **2.2 times** easier to stretch⁹

mould...

Up to **2.2 times** easier to mould⁹

and also extend pouch wear time



agree eakin **Cohesive®** seals **extend pouch weartime**¹³ Consumer feedback (n = 2801)



agree eakin **Cohesive®** seals are good/excellent at **extending pouch weartime**¹⁴ Nurse feedback (n = 194)

MYTHS ABOUT SEALS

Absorption and enzyme inhibition are the only characteristics of seals that have been scientifically proven. See below for the outcome of other claims currently being circulated.



The primary importance of a seal's absorption capacity was supported by Berg et al (1994), who in a study of 1601 patients reported that **skin wetness caused more significant dermatitis than variation in skin pH.**¹²

CLAIM 3

pH buffering "manages the skin-damaging effects of enzyme activity."

OUTCOME

NO EVIDENCE a seal provides pH buffering/pH buffering alone inhibits enzymes.



Superior skin protection due to addition of Ceramide

OUTCOME

NO PUBLISHED CLINICAL EVIDENCE to support the use of Ceramide in stoma care.

A SEAL FOR EVERY SITUATION



eakin **Cohesive** SLIMS® Your Everyday Seal

- For everyday skin protection and security
- For frequent pouch changes

Product Code: 839005



Large eakin **Cohesive**[®] seals Greatest Coverage

- For covering a large area of peristomal skin
- For complex skin problems or uneven skin surfaces

Product Code: 839001



Small eakin **Cohesive**[®] seals The Extra Protector

• For maximum skin protection

99%

• For those with high fluid content

Product Code: 839002



eakin **Cohesive** StomaWrap[™] Your Time Saver

- For large, oval or irregular shaped stomas
- For those with limited dexterity

Product Code: 839006



agree eakin **Cohesive®** seals are an **essential part of stoma care**¹³ Consumer feedback (n = 2801)

ABSORBENCY MATTERS MOST

REMEMBER! eakin **Cohesive**[®] seals are up to **<u>4 times more absorbent</u>** than any other seal!

Therefore they offer the **greatest protection against MASD**, plus:

High enzyme protection^{9,11}

Extend pouch wear time^{10,13,14}

Completely mouldable⁹



eakin **Cohesive**[®] seals

Absorbency matters most.

REFERENCES

1. Voegeli, D., Moisture-associated skin damage: aetiology, prevention and treatment. Br J. Nurs. 2012;21(9):517-520

- 2. Voegeli, D., Moisture-associated skin damage: an overview for community nurses. Br J of Community Nursing 2013:18(1):6-10
- 3. Colwell C., et al, MASD Part 3: Peristomal Moisture Associated Dermatitis and Periwound Moisture-Associated Dermatitis, A Consensus J WOCN 2011;38(5):541-553
- 4. Colwell C, Goldberg M, Carmel J. The state of the standard diversion. J Wound Ostomy Continence Nurs. 2001;28:6–17. [PubMed]
- 5. Salvadalena GD. Incidence of complications of the stoma and peristome skin among individuals with colostomy, ileostomy and urostomy. J WOCN 2008:35(6):506-507
- 6. Szewczyk, M-T., Majewska, G., Caral., M.V., Hölzel-Piontek, K., The effects of Using a Moldable Skin Barrier on Peristomal Skin Condition in Persons with an Ostomy; Results of a Prespective, Observational, Multinational Study Ostomy Wound Manage 60(12): 16-26, (2014)
- 7. Gray M, Black JM, Baharestani MM et al. Moisture-associated skin damage: overview and pathophysiology. J Wound Ostomy Continence Nurs. 2011;38(3):233-41. https://doi.org/10.1097/won.0b013e318215f798
- 8. Cotton J, Richards K, National audit of stoma complications within 3 weeks of surgery, Gastrointestinal Nursing 2006. https://doi.org/10.12968/ gasn.2006.4.8.22084

9. Data on file (2016)

- 10. McGroggan, G., Haughey, S., McDowell, K., An absorbent, enzyme-inhibiting seal reduces peristomal skin complications., Gastrointestinal Nursing. 2018:16(1):42-49
- 11. McGroggan, G., Effects of a hydrocolloid ostomy seal on faecal enzyme activity and moisture absorption., Poster presented at 3rd Congress of World Union Wound Healing Society; June 4-8, 2008: Toronto, Canada Results of a Prespective, Observational, Multinational Study Ostomy Wound Manage 60(12): 16-26, (2014)
- 12. Berg RW, Milligan MC, Sarbaugh FC. Association of skin wetness and pH with diaper dermatitis. Pediatr Dermatol. 1994; 11(1):18-20
- 13. McGroggan, G., Cohesive Patient Questionnaire in response to proposed 2007 UK Health Reform
- 14. McGroggan, G., Cohesive Nurse Questionnaire in response to proposed 2007 UK Health Reform

